



02
1
100

- STOCKSBRIDGE URBAN DISTRICT -

A N N U A L R E P O R T

of the

MEDICAL OFFICER OF HEALTH

for the year 1942

TO: SAC, NEW YORK

FROM: SAC, NEW YORK

RE: TO

RE: SAC, NEW YORK

RE: SAC, NEW YORK

STOCKSBRIDGE URBAN DISTRICT.

Interim Report for 1942

by the Medical Officer of Health.

Vital Statistics.

Population - The Registrar-General's estimate for the middle of 1942 was 9,770.

<u>Births</u>	-	<u>Live Births</u>	-	M.	F.	Total.
		Legitimate		76.	75.	151.
		Illegitimate		3.	2.	5.
				<u>79.</u>	<u>77.</u>	<u>156</u>

Birth Rate. - 15.9 per 1000 of population.
Birth Rate for England & Wales - 15.8.

<u>Still Births</u>	M.	F.	
	5.	2.	- 7.

Rate of Still Births - 44. per 1000 births.

<u>Deaths</u>	-	M.	F.	Total.
		49.	44.	93.

Death Rate - 9.6 per 1000 of Population.
Death Rate for England & Wales - 11.6.

Infant Mortality -

Deaths of Infants under 1 year	-	6.
Death Rate of Infants per 1000 births	-	38.
Infant Mortality E & W.		49.

There were no deaths of Illegitimate Infants.

Infant Mortality - Causes of Death.

<u>Sex.</u>	<u>Age</u>	<u>Cause of Death.</u>
M.	2 weeks	Bronchitis.
M.	2 months	Marasmus.
F.	1 hour	Prematurity.
F.	3 months	Hydrocephalus & Spina Bifida.
M.	35 minutes	Prematurity.
M.	1 day	Hydrocephalus & Spina Bifida.

[illegible]

20 :

55

35

10

11

—

21

101 1.0000
102 1.0000

705f
707f

.8.15

五

5

•

... ..

105. 2
20

4

•

1000 of 1000
1000 of 1000

5. 11

۱۰۰۰

000
F. D. D. A.
1901

11.

1990

...and the

1900

... ..

Deaths - Causes of Deaths -

Measles	0
Whooping Cough	0
Diphtheria	0
Diarrhoea (under 2 years)	0
Cancer	17.

Classification of Deaths from Cancer.

	<u>Male.</u>	<u>Female.</u>	<u>Total.</u>
Uterus	0.	3	3
Stomach & Duodenum	2	0	2
Breast	0	2	2
Other sites	<u>5</u>	<u>5</u>	<u>10.</u>
	<u>7</u>	<u>10</u>	<u>17</u>

Classification of Causes of Deaths

<u>Disease.</u>	<u>Males.</u>	<u>Females.</u>	<u>Total.</u>
Tuberculosis - Respiratory	4	2	6
Tuberculosis - other forms	1	0	1
Cancer	7	10	17
Puerperal Sepsis		0	0
Other Maternal Causes		0	0
Influenza	1	0	1
Diabetes	2	0	2
Intra-cranial vascular lesions	3	6	9
Heart	9	13	22
Bronchitis	6	1	7
Pneumonia	0	4	4
Other respiratory diseases (Silicosis).	2	0	2
Ulcer of stomach	3	0	3
Diarrhoea - under 2 years	0	0	0
Nephritis	0	3	3
Premature Birth	1	1	2
Congenital debility, etc.	2	1	3
Road Traffic	1	0	1
Other violent causes	1	0	1
All other causes	<u>6</u>	<u>3</u>	<u>9</u>
	<u>49</u>	<u>44</u>	<u>93</u>

1952

1952

Date	Description	Amount	Remarks
1/1	Cash	100.00	Initial deposit
1/2	Cash	50.00	Withdrawal
1/3	Cash	25.00	Withdrawal
1/4	Cash	10.00	Withdrawal
1/5	Cash	5.00	Withdrawal
1/6	Cash	2.50	Withdrawal
1/7	Cash	1.25	Withdrawal
1/8	Cash	0.62	Withdrawal
1/9	Cash	0.31	Withdrawal
1/10	Cash	0.15	Withdrawal
1/11	Cash	0.07	Withdrawal
1/12	Cash	0.04	Withdrawal
1/13	Cash	0.02	Withdrawal
1/14	Cash	0.01	Withdrawal
1/15	Cash	0.00	Withdrawal
1/16	Cash	0.00	Withdrawal
1/17	Cash	0.00	Withdrawal
1/18	Cash	0.00	Withdrawal
1/19	Cash	0.00	Withdrawal
1/20	Cash	0.00	Withdrawal
1/21	Cash	0.00	Withdrawal
1/22	Cash	0.00	Withdrawal
1/23	Cash	0.00	Withdrawal
1/24	Cash	0.00	Withdrawal

Notifioations of Tuberculosis -

Respiratory	6
Other forms	<u>1</u>
	<u>7</u>

Notifications of Infectious Diseases -

Pneumonia	40
Scarlet Fever	43
Whooping Cough	2
Diphtheria	4
Measles	35
Cerebro-spinal	0
Puerperal Pyrexia	2
Erysipelas	8

Isolation Hospital -

During the year 39 cases of scarlet Fever were admitted to the Hospital. They all did well.

Diphtheria Immunisation -

During the year (1942) I immunised 724 children. Of these 191 were under 5 and 533 were between 5 and 15.

W.M. ROBERTSHA7.

Medical Officer of Health.

RECEIVED

1
2
3

1900

RECEIVED

1
2
3
4
5

1900

RECEIVED

RECEIVED

1900

1900

RECEIVED

RECEIVED

RECEIVED

RECEIVED

RECEIVED

RECEIVED